SUBJECT INDEX

A

Aβ
  amyloid precursor protein and, 479–80, 482–89
  presenilin and, 495
Acetylcholine signaling, 299–300
Action potential
  presynaptic, 158, 161
Activating transcription factor group of CREB family, 128, 130
Adhesion molecules, 97–120, 192
  L1, 97, 112–20
  merosin, 97–105, 120
    muscular dystrophy and, 97–105
  mutations in, 97–120
  Po, 97, 105–7, 109–12, 120
  vascular cell adhesion molecule-1 (VCAM1), 192
Adoption studies, 2–8, 12, 48
Agrin, 103
Alcohol dehydrogenase, 10
Alcoholism
  adoption studies, 13
  linkage studies, 11
Aldeyhyde dehydrogenase (ALDH), 10
Alzheimer's disease, 479–98, 364
  amyloid precursor protein (APP) and, 479–80, 482–89
  autosomal dominant familial (FAD), 479–80, 482–98
  cellular abnormalities, 482
  clinical features, 480, 482
  neuropathology, 480
  presenilins and, 479–80, 483–84, 489–95
  tau and glycosaminoglycan interactions and, 481
  zinc toxicity and, 364
AMPA receptor–mediated responses
  zinc and, 351, 358, 362, 365
Amyloid precursor protein (APP), 479–80
  Alzheimer's disease and alterations of, 479–80, 482–89
  gene-targeted mice studies of, 496–98
  Kunitz family of protease inhibitors (KPI), 485
  transgenic mice studies of, 496
β-Amyloid protein, 481
Anisomycin, 130
Ankyrin, 114
Anti-Hu sensory neuronopathy, 212–14
Anti-MAG, 211–12
Aplysia, 33–34, 38–39, 127, 131–44
  cAMP-PKA pathway and long-term sensitization in, 131–32
  californica, 33–34, 38–39
  CREB activation, 140–41
  CREB and memory formation in, 127, 131–32
  long-term potentiation, 139
Apolipoprotein (apoE), 479, 482
Apoptosis
  merosin and, 102
  zinc and, 356–62
Attention-deficit disorder linkage studies, 11
Audition, 167, 227, 235–37, 252–53, 260–61
  neuronal pooling and, 252–53
Autapse, 39
Autism linkage studies, 11
Autoimmunity, 187, 190–217
  mechanisms of, 193–95
    antibody disruption of neuronal function, 195
    antibody-mediated attack, 195–96
    cytokines' and macrophages' direct effects, 195
    cytotoxic T cell-mediated attack, 193–94
  neuropathies, 196–217
    therapies, 215–17
  superantigens and, 190
Axolotl
  neural plate fate maps, 449–59
Axonal guidance, 309–38
  ephrins and, 309–38
  Eph receptors and, 309–38
  motor, 328–32
  regional patterning of nervous system, 332–38
  retinotectal topographic mapping, 319–28

B

Barrel cortex, 165–66
Behavioral genetics, 1–19
  IQ and, 2, 4–6
  personality traits and, 2, 6–8
    general occupational themes, 7
  phenotypic variance, 2
Behavioral plasticity, 407–8, 434
Bipolar disorder linkage studies, 10
Blood-nerve barrier, 189, 191–92
  leukocyte trafficking, 192
Bone morphogenetic proteins, 464

C

Ca^{2+}-binding proteins, 75, 81–92
  C_2-domains and, 89
C_2-domains, 75, 86–90
  Ca^{2+}-binding properties of, 89
Caenorhabditis elegans, 279–304, 380
  chemosensory neurons, 287–92
    TGF-β-related peptide and, 279, 289–91
  dauer larvae of, 289–92
  G-protein signaling pathways in, 279–304
  heat-shock gene pair, 380
  mechanosensation in, 279, 281–304
    body touch response, 284
    nose touch response, 284
    thermosensation, 284–85
    touch reception model, 282–83
  nervous system structure of, 279–81
  neurotransmitter receptors in, 292–97
    excitatory glutamate receptors, 294–95
    GABA, 296
    inhibitory glutamate receptors, 295
    nicotinic acetylcholine receptors, 292–94
Calmodulin kinases (CaMKs), 128
cAMP responsive element (CRE), 127–45
cAMP responsive element binding protein (CREB), 127–45
  activating transcription factor (ATF) group, 128

CREB group, 128
CREM group, 128
memory formation and, 127–45
Aplysia, 131–32
Drosophila, 132–33, 137
mutant mice, 133–35, 137–38
rats, 135
synaptic remodeling, 143–44
transcriptional activation, 128–29, 143
transcriptional repression, 129–30, 139
cAMP response element modulator (CREM) gene, 128, 130
isoform
inducible cAMP early repressor (ICER), 128, 130
cAMP signal transduction cascade
olfactory learning and, 411, 416
Campylobacter, 190, 196, 207–8
Cellular conditioning, 153, 160–62
auditory cortex, 161
intracortical microstimulation (ICMS), 162
Cerberus, 466
Charcot-Marie-Tooth disease, 97, 107–12
mutations of Po gene and, 107–12
Chemoaffinity labels, 320–21
Chemosensory neurons
C. elegans and, 279, 286–92
G protein–coupled receptors and, 286–87
signal transduction, 287–88
sr genes and, 286–87
Chordin, 466
Chronic inflammatory demyelinating polyneuropathy (CIDP), 208–9
Computation, 25–41
Cortex, 36, 149–80
architecture, 151–52
circuitry, 150–52
cortical plasticity, 149–80
cortical map plasticity, 149, 152, 167–80
synaptic, 149, 153–60, 170–80
cortical representational plasticity, 149, 153, 162–67
information flow, 151–52
synaptic depression in, 36
Cortical circuits
laminar organization of, 52–68
Cortical map plasticity, 149, 152, 167–80
CaM-kinase-dependent, 174–75
horizontal connectivity and, 152
models of, 175–77
NMDA-dependent, 174–75
sites of, 173–74
synaptic plasticity relationship to, 170–80
training dependent, 167–70
Cortical representational plasticity, 149, 153, 162–67
auditory, 167
barrel cortex and, 165–66
somatosensory cortex and, 162–65
visual cortex and, 166–67
Cortical synaptic plasticity, 149, 153–60, 170–80
relationship to cortical map plasticity, 170–80
CREB (See also under cAMP responsive binding element)
CREB-binding protein, 139
CREB-mediated gene expression, 429–30
CREB-mediated transcription, 424–25
Cyclic adenosine monophosphate, 285
(See also under cAMP)
Cyclic guanosine monophosphate (cGMP), 285
Cytomegalovirus, 206

D

Dejerine-Sottas diseases, 107–12
mutations of Po gene and, 107–12
Diacylglycerol-protein kinase C (DAG-PKC), 131
Drosophila melanogaster
cAMP-PKA pathway and learning in, 132
learning and memory in, 132–33, 135, 137, 144, 407–38
genetic dissection, 407–8, 420–38
quantitative genetic studies, 408–10, 416–20
single-gene mutants, 410–16
olfactory memory in
CREB and, 127, 132–33, 135, 137, 144
Duchenne muscular dystrophy, 99
Dystrophin-glycoprotein complex, 100–3
dystrophin-associated glycoproteins (DAGs), 100–1
dystrophin-associated proteins (DAPs), 100
Docking, 75, 77, 84
α-latrotoxin and, 84
Dopamine receptor
alcoholism and, 10
schizophrenia and, 9
Dynamic clamp, 25–29
Dyslexia linkage studies, 11

E

Ecdysone
inducible gene expression and, 377, 379–89, 401–2
Electrical coupling, 29–30
Endocytosis, 77
Eph receptors, 309–38
bidirectional signaling and, 319
ligand (See Ephrins)
phylogeny, 314
receptor-ligand binding, 315–17
regional patterning of nervous system and, 332–38
Ephrins, 309–38
axon guidance and, 311, 319–28
retinotectal topgraphic mapping, 319–28
bidirectional signaling and, 319
expression in forebrain, 334–35
phosphorylation sites, 318
phylogeny, 314
receptor-ligand binding, 315–17
structure, 313
Epilepsy
zinc exposure and, 347, 364
Epistasis, 417
Estrogen receptor, 377, 379, 387–89
mutant, 387–89
N-Ethylamaleimide sensitive factor (NSF), 78
Eukaryotic cells, 77
Excitatory junctional potentials (EJPs), 34
Excitatory postsynaptic potential (EPSP), 32, 153–59
LTD of, 157–59
LTP of, 154–57
Excitotoxicity
zinc modulation of, 364–67
Exocytosis
synaptic vesicle (See Synaptic vesicle exocytosis)

Experimental autoimmune neuritis (EAN), 193, 202
Extrastriate cortex, 58

F

Facilitation, 25, 35–37
Fate maps, 445, 449–59
  vertebrate prosencephalic neural plate, 449–59
  telencephalic subdivisions, 458–59
FGF8, 445, 460, 467–68
FK506 dimer, 383–85
Follistatin, 466
Forebrain, 332–38, 445–72
  Eph receptors and, 332–38
  ephrins and, 332–38
  neural plate
    eye field induction and patterning, 469–70
    fate maps of, 449–59
    gene expression maps in, 459–61
    olfactory bulb induction, 470
    posterior pituitary, 470–71
    telencephalon induction and patterning, 468
    ventral hypothalamus, 470–71
Founder effect, 419
Fukuyama's classical congenital muscular dystrophy (FCMD), 99
Fusion, 75–92
  Ca^{2+}-triggered, 82–92
  lipid bilayer, 77
  proteins involved in, 78–80
  rab3 and, 82–88
  synaptotagmin and, 75–79, 81, 88–92

G

G protein–coupled receptors
  chemosensation in *C. elegans* and, 286–92
    signal transduction in chemo-sensory neurons, 287–92
    srr gene expression and, 286–87
G-protein signaling pathway
  C. elegans, 297–304
G proteins, 279, 297–304
Gal4
  Saccharomyces cerevisiae, 378
Gal4-ER, 386
Gap junctions
  Pas-related proteins and, 296–97
GDI, 81–82, 86
GDP, 81–82, 86
Gene expression, inducible, 377–402
  FK506 dimer, 379, 383–85
  glucocorticoid, 385–89
  heat shock and, 378–80
  heavy metal ion, 379–81
  interferon, 381–83
  lac operator/repressor-based systems, 389–92
  tetracycline transactivator, 377, 379, 392–98
Gene identification
  association studies, 4, 11
  behavioral traits and, 2–4
  linkage studies, 4, 9–12
    schizophrenia, 9–10
Gene targeting, 127
General occupational themes, 7
Genetic background, 407
Genetic dissection
  of learning and memory, 407–8, 420–38
    biochemical pathways, 420–24
    memory formation, 425–34
    neuroanatomical pathways, 421–24
    synaptic plasticity, 424–25
Genotype-environment correlation, 14, 16–19
Genotype-environment interaction, 1, 14, 17–19
Glial cell death
  zinc-induced, 354–62
Glucocorticoid
  inducible gene expression and, 385–89
Glucocorticoid-responsive elements (GREs), 385
Glutamate receptors
  excitatory, 294–95
  inhibitory, 295
Glycogen synthase kinase, 128
GTP, 81–82, 88
GTP-binding activity
  rab3 and, 81
GTP-binding proteins, 75–92
Guillain-Barré syndrome, 187, 190–91, 196–208
  acute inflammatory demyelinating polyneuropathy (AIDP), 198, 202
  acute motor axonal neuropathy (AMAN), 199, 202–3
  acute motor-sensory axonal neuropathy (AMSAN), 198–99, 202
  Campylobacter and, 190, 196, 207–8
  Fisher syndrome, 199, 206
  susceptibility factor, 206
Glycosylphosphatidylinositol (GPI), 78

H

Heat-shock
  response, 378–80
  transcription factors, 378
Heavy metal ion, 379–81
Hebbian
  learning rule, 152, 160
  plasticity, 153–57, 165
Hebb's postulate, 154
Hemagglutinin, 77–79, 90
Heritability, 1–19
  general cognitive ability, 6
  joint influence of genes and environment, 2
  personality and interests, 6–8
  psychopathology, 8–12
  sexual orientation, 7, 9
  specific mental abilities, 6
  social attitudes, 8
  twin studies, 2–8, 12, 18
Herpes simplex virus, 392–93
Hippocamposepal projection, 328
Hippocampus
  CREB activation in, 141–43
  homosynaptic LTD in, 157
  late-LTP induction in, 139
  LTP and, 150, 154, 157
  zinc release and re-uptake in, 350
Hox genes, 332
Hypothalamus, 470–71

I

Immunoglobulin superfamily, 192
Inducible cAMP early repressor (ICER), 128, 130
Inhibitory postsynaptic potentials (IPSPs), 157–60
Integrin, 102–3, 105, 192
Intercellular adhesion molecule-1 (ICAM-1), 192
Interferon, 377, 379, 381–83
Interferon-γ, 193
Interleukin-6, 381
Intraocular dominance, 417
Intrinsic circuits, 47, 68–70

Ischemia
transient global
zinc exposure and, 347, 362–63
Ivermectin, 295

K

Krox-20 gene, 333–34
Kunitz family of protease inhibitors, 485

L

L1 cell adhesion molecule, 112–20
CRASH syndrome and, 114–20
Lactose operon, 378
Lamert-Eaton myasthenic syndrome (LEMs), 190, 195, 214–15
Lamin, 98, 100–3, 114
Lateral geniculate nucleus (LGN), 47–48, 50, 70
neuronal projections to extrastriate cortex, 58–68
α-Latrotoxin, 82, 84
Learning and memory, 127–45, 407–38
genetic architecture underlying, 410, 416–20
genetic dissection of, 407–8, 420–38
memory consolidation features universally conserved, 437
memory formation, 425–34
temporal phases of, 425
Pavlovian olfactory learning, 410, 416, 420, 423
quantitative genetic studies, 408–10, 416–20
single-gene mutants, 410–16
synaptic plasticity, 424–25
(See also Memory)
Leukocyte-endothelial interactions, 192
cell adhesion molecules and, 192
Limulus, 233, 235
Linkage studies
alcoholism, 10–11
attention-deficit disorder, 11
borderline mental retardation, 11
dyslexia, 11
impulsive agression, 11
manic depression, 10
schizophrenia, 9–10
Tourette syndrome, 11
Locomotion
nicotinic acetylcholine receptors in *C. elegans* and, 292–94
Long-term depression (LTD), 149–80
associative, 158–59
of excitatory synapses, 157–59
heterosynaptic, 157, 159, 178
homosynaptic, 157, 159
Long-term facilitation (LTF), 131
Long-term potentiation (LTP), 127, 136–40, 149–80, 399–402
associative, 1174–75, 177–78
early (E-LTP), 136
of excitatory synapses, 154–57
hippocampal, 150, 154
late (L-LTP), 136, 139
neocortical, 154–57
induction protocols, 156
zinc and, 353–54
Long-term sensitization (LTS), 131–32
cAMP-PKA pathways in *Aplysia* and, 131–32
Lower envelope principle, 241–43, 265–68
Lymphocytes, 188–89

M

Macrophages, 188
Manic depression linkage studies, 10
MASA syndrome, 114–15
Mast cells, 188–90
Mechanosensation, 279, 281
Membrane fusion, 75–92
Ca^{2+}-triggered, 82
hemagglutinin and, 77–78
α-latrotoxin and, 82
mechanisms, 77–78
rab3 and, 75–79, 81–88
regulation, 81
synaptic vesicle exocytosis and, 76–77
synaptotagmin and, 75–79, 81, 88–92
zipper model, 80–81
Memory
CREB and, 127–45
long-term facilitation and, 131
long-term potentiation and, 127, 136–40
(See also Learning and memory)
Mental retardation
L1 cell adhesion molecule mutations and, 114–16
Merosin, 97–105, 120
apoptosis and, 102
dystrophin-glycoprotein complex and, 100–3
α2 gene mutations, 104–5
muscular dystrophy and, 97–105
myelinogenesis and, 104
myogenesis and, 102
peripheral nerves and, 102–3
structure, 98–99
Metal-activated factors (MAFs), 380–81
Metallothionein
gene family, 380–81
proteins
cellular zinc homeostasis and, 360
Microneurography, 254–56, 268–69
MK-801, 85
Modulatory commissural neuron 1 (MCN1), 32
Molecular mimicry, 190, 198, 206–8
Monoamine oxidase A gene, 11
Monoclonal gammopathy, 209–10
Monocyte chemoattractant protein-1, 189
Multifocal motor neuropathy, 210–11
Munc18, 78–80
Muscle-eye-brain disease, 99
Muscular dystrophy, 97–105
congenital, 99–105
classification, 99–100
dystrophin-glycoprotein complex and, 100–3
mutations in merosin and, 98–105
Mutant mice
CREB and long-term memory, 127, 133–35, 137–38
Mycoplasma arthritidis, 190
Mycoplasma pneumoniae, 207
Myelin-associated glycoprotein, 191
Myelination
merosin and, 97–104
Po and, 97, 105–7, 109–12
Myelinogenesis
merosin and, 104
Myogenesis
merosin and, 102

N

Nature-nurture debate, 1
Nerve growth factor (NGF), 312
N-ethylamaleimide sensitive factor (NSF), 78
Neural crest, 332–38

Neural plate, 445–72
A/P patterning, 463–65
fate maps of, 449–59
gene expression maps in, 459–81
mediolateral patterning, 463–65
prosencephalic regionalization of, 471–72
later, 471–72
Neural tube, 332–38
Neurodegeneration
zinc and, 354–68
Neuromere, 445
Neuromodulation, 37–39
Neuromuscular junction, 424
Neuronal cell death, 354–68
zinc-induced, 354–68
cellular zinc homeostasis and, 360–69
excitotoxicity, 364–67
inhibition of energy production and, 362
metallothionein proteins and, 360–61
toxic zinc entry into neurons, 358–59
Neuronal detection and discrimination function
measurement of, 231–33
Neuronal pooling, 227, 241, 243–44, 249–52, 265–68
detection of temperature changes and, 250–51
vision and, 241, 243–44, 252
Neuropathies, autoimmune, 187, 196
Neurotoxicity, 347
Neurotransmitter receptors
C. elegans, 279, 292–27
Neurotransmitter release, 75–92
Nicotinic acetylcholine receptors
C. elegans and, 292–94
N-methyl-D-aspartate (NMDA) receptors, 129, 140, 154, 157–58, 351, 354, 365, 398–402
LTP and
tetracycline transactivator system of inducible gene expression and, 398–402
zinc and, 351, 354, 365
Noggin, 466
Nonshared environment, 1, 2, 5, 12–19

O

Okadaic acid, 142
Olfaction, 279, 286–88, 411, 416
C. elegans
G protein–couple receptors and, 286–87
Olfactory learning
cAMP signal transduction cascade and, 411, 416
CREB and, 127, 132–33, 135, 137, 144
Pavlovian, 410, 416, 420, 423

P

Parallel pathways, 47, 53–68
Pas-related gene family, 296–97
Pas-related proteins, 297
Pattern formation, 445
Pavlovian conditioning, 407, 410, 416, 420, 423
PDZ-domains, 75, 87
Perception
neuronal activity and, 227–72
Perceptual tasks
defined, 228
Peripheral nervous system, 187–217
blood-nerve barrier, 191–92
immune cell types of, 188–89
immune injury and, 187–217
Phenotypic variance, 2
Pituitary adenylyl cyclase activating peptide (PACAP), 425
Plasma cell dyscrasia, 191
Plasticity, 149–80, 407–8, 434
associative (Hebbian), 153–58, 165, 170
neocortex, 154
behavioral, 107–8, 434
cellular conditioning studies and, 153, 150–62
cortical map, 149, 164, 168–80
cortical representational, 149, 153, 162–67
cortical synaptic, 149–60, 170–87
Hebbian, 153–58, 165, 170
inhibitory, 159–60
Po
Charcot-Marie-Tooth disease and, 107–12
Dejerine-Sottas diseases and, 107–12
myelination and, 105–12
Prechordal plate, 445, 464
Preoptic area, 458
Presenilins (PS1, PS2)
and Aβ, 495
Alzheimer's disease and mutations in, 479–80, 483–84, 489–95
gene-targeted mice, 496
transgenic mice, 497–98
Primary visual cortex, 47–70
feedback pathway, 47, 53–68
feedforward pathway, 47, 53–68
striate cortex, 47
V1, 47–70
functional organization, 48–50
geniculate input to, 50–52, 58–68
interlaminar connections, 52–68
macaque, 47–70
(See also Vision)
Priming, 75, 77–80
proteins involved in, 78–80
Proboscis extension reflex (PER), 408, 422
Proctolin, 38–39
Progesterone antagonist (RU486), 386–87
Prosencephalon, 445
Prosomeres, 446
Prosomeric model, 458
Protein kinase A (PKA), 128, 131, 136, 141–43
inhibitor (PKI), 141–43
regulatory subunit of, 136
Protein kinase C (PKC), 128
Protein-protein interactions, 76
Proton pump, 77
Psychometric detection function, 231, 233, 238
Psychopathology, 8–12
Puromycin, 130
Pyloric network, 30–32
Pyramidal neurons, 64–68

R

Rab3, 75–79, 81–88
dissociation
Ca^{2+}-triggered fusion and, 82–84
effectors, 82, 85–88
GDI and, 81–82
GDP and, 81–82
GTP-binding activity and, 81
regulation, 85
subfamily, 81
synaptic vesicle membrane fusion and, 75–79, 81–88
Rabphilin, 85–88
Receptor tyrosine kinases
Eph receptors, 309–38
transmembrane ligands for, 317–19
Regulation
activity-dependent, 25–41

Retinal ganglion cells (RGCs), 51
Retinotectal topographic mapping, 319–28
  ephrins and chemoaffinity labels, 321–22
  mechanism, 324–26
Rhombencephalon, 446
RIM, 85–88
Rsk-2, 114, 120
RU486, 386–87

S

SCAMPs, 77
Schizophrenia
  adoption studies, 13
  linkage studies, 9–10
    serotonin receptor system polymorphism and, 10
  nonshared environmental factors and, 15
Selectin, 192
Sensory threshold, 230
Ser 142, 129–30
Serotonin (5-HT), 131, 296
Serotonin receptor system polymorphism
  schizophrenia and, 10
Seven transmembrane receptors (7-TMRs), 297
Sexual orientation
  linkage studies, 11
  twin studies, 11
    Xq28 and, 11
Short-term facilitation (STF), 131
Slow inhibition, 32
Small-cell lung cancer (SCLC), 190
SNARE, 80
Soluble NSF attachment proteins (SNAPs), 78–80
  receptor (SNARE), 80
  α-SNAP, 80
  SNAP-25, 78–80
Somatosensory cortex, 162–65
  cortical plasticity and, 162–65
Somatosensory system, 227, 235–72
  frequency discrimination, 247
Staphylococcal enterotoxin B, 190
Striate cortex, 47
Strong Vocational Interest Inventory/Strong-Campbell Interest Inventory, 7
Superantigens, 190–91
  Mycoplasma arthritidis-derived, 190
  Staphylococcal enterotoxin B, 190
Synapsins, 77
Synaptic depression, 25, 35–41
  cortex, 36
Synaptic plasticity, 424–25, 398–401
  genetic dissection in *D. melanogaster* of, 424–25
    CREB-mediated transcription and, 424
    neuromuscular junction and, 424
Synaptic remodeling, 143–44
  CREB and, 143
Synaptic vesicle exocytosis, 75–92
  docking, 75, 77, 84
  membrane fusion, 75–92
  priming, 75, 77–80
  rab3 and, 82–85, 88
  SNAP-25 and, 78–79
  synaptobrevin and, 78, 78–80
  synaptotagmin and, 75–79, 81, 88–92
  syntaxin and, 78–80
Synaptobrevin, 77, 78–80
Synaptogyrin, 77
Synaptophysin, 77
Synaptoporin, 77
Synchrony, 32
Syndactyly, 165, 169
Synaptotagmin
  effectors, 90–91
  membrane fusion and, 75–79, 81, 88–92
Syntaxin, 78–80

T

T cell antigen receptor, 383
T cell receptors, 190
T cells
  cytotoxic T cell–mediated attack, 193–94
  helper/inducer, 194
Temperature detection, 250–51, 263–64, 285
Tetracycline-inducible gene expression, 377, 379, 392–402
Tetracycline transactivator, 377, 379, 392–402
TGF-β-related peptide, 279
Thermosensation, 250–51, 263–64, 285
  cGMP second messenger in *C. elegans* and, 285
Thermotaxis
  C. elegans and, 284–85, 287
Topographic maps
  hippocamposeptal, 328
  retinotectal, 319–28
Tourette syndrome (TS) linkage studies, 11
Transcription, 127–45
  CREB-dependent activation, 128–29
    repression, 129–30
Transgenic mice, 377–402
Trinucleotide repeat disorders
  bipolar disorder, 10
  linkage studies, 11
Twin studies, 2–8, 12, 18
  human sexual orientation, 7
  Minnesota Multiphasic Personality Inventory (MMPI), 7
  Minnesota Study of Twins Reared Apart (MISTRA), 6, 7
  Minnesota Twin Study of Adult Development and Aging (MTSADA), 5
  psychpathology, 8
  social attitudes, 8
  Swedish Adoption/Twin Study of Aging (SATSA), 5–6
Tyrosine kinase, 309–38

V

V1
  functional organization, 48–50
    blobs and interblobs, 50
    orientation and ocular dominance columns, 49–50
  geniculate input to, 50–52, 58–68
    koniocellular, 5–52, 58–68
    magnocellular, 50–52, 58–68
    parvocellular, 50–52, 58–68
  interlaminar connections, 52–68
  macaque, 47–70
Vascular cell adhesion molecule-1 (VCAM1), 192
Vesicle-associated membrane proteins (VAMPs), 77–78
Vision, 227, 235–45
  cortical detection of spatial contrast patterns, 245–46
  motion perception, 256–60
  neuronal pooling and, 241, 243–44

visual pattern discrimination, 246–47
(See also Primary visual cortex)

W

Walker-Warburg syndrome, 99

X

X-linked hyrocephalus, 97, 114
L1 cell adhesion molecule and, 114–15
Xenopus
neural plate fate map of, 449–59

Z

Zebrafish, 408, 449–59, 467
neural plate fate map of, 449–59, 467
Zinc, 347–68
Alzheimer's disease and, 364
AMPA receptor–mediated responses and, 351, 358, 362
epilepsy and, 347, 364
GABA and, 352–53
global ischemia and, 347, 362–63
glycine receptor–mediated response, 353
membrance receptor and channel effects, 350–53
LTP and, 353–54
metalloenzymes, 348
neuronal cell death induced by, 354–64
NMDA receptor–mediated response and, 351, 358, 362
synaptic release and, 353–54
transient global ischemia and, 347
zinc-binding proteins, 348–49